

1.5mm² Cable Size	
CLUG1,5X03	1.5mm ² x 03mm Copper Lugs
CLUG1,5X04	1.5mm ² x 04mm Copper Lugs
CLUG1,5X05	1.5mm ² x 05mm Copper Lugs
CLUG1,5X06	1.5mm ² x 06mm Copper Lugs
2.5mm² Cable Size	
CLUG2,5X03	2.5mm ² x 03mm Copper Lugs
CLUG2,5X04	2.5mm ² x 04mm Copper Lugs
CLUG2,5X05	2.5mm ² x 05mm Copper Lugs
CLUG2,5X06	2.5mm ² x 06mm Copper Lugs
CLUG2,5X08	2.5mm ² x 08mm Copper Lugs
4mm² Cable Size	
CLUG4X03	4mm ² x 03mm Copper Lugs
CLUG4X04	4mm ² x 04mm Copper Lugs
CLUG4X05	4mm ² x 05mm Copper Lugs
CLUG4X06	4mm ² x 06mm Copper Lugs
CLUG4X08	4mm ² x 08mm Copper Lugs
CLUG4X10	4mm ² x 10mm Copper Lugs
6mm² Cable Size	
CLUG6X04	6mm ² x 04mm Copper Lugs
CLUG6X05	6mm ² x 05mm Copper Lugs
CLUG6X06	6mm ² x 06mm Copper Lugs
CLUG6X08	6mm ² x 08mm Copper Lugs
CLUG6X10	6mm ² x 10mm Copper Lugs
10mm² Cable Size	
CLUG10X05	10mm ² x 05mm Copper Lugs
CLUG10X06	10mm ² x 06mm Copper Lugs
CLUG10X08	10mm ² x 08mm Copper Lugs
CLUG10X10	10mm ² x 10mm Copper Lugs
CLUG10X12	10mm ² x 12mm Copper Lugs
16mm² Cable Size	
CLUG16X05	16mm ² x 05mm Copper Lugs
CLUG16X06	16mm ² x 06mm Copper Lugs
CLUG16X08	16mm ² x 08mm Copper Lugs
CLUG16X10	16mm ² x 10mm Copper Lugs
CLUG16X12	16mm ² x 12mm Copper Lugs
CLUG16X16	16mm ² x 16mm Copper Lugs
25mm² Cable Size	
CLUG25X06	25mm ² x 06mm Copper Lugs
CLUG25X08	25mm ² x 08mm Copper Lugs
CLUG25X10	25mm ² x 10mm Copper Lugs
CLUG25X12	25mm ² x 12mm Copper Lugs
CLUG25X16	25mm ² x 16mm Copper Lugs
35mm² Cable Size	
CLUG35X06	35mm ² x 06mm Copper Lugs
CLUG35X08	35mm ² x 08mm Copper Lugs
CLUG35X10	35mm ² x 10mm Copper Lugs
CLUG35X12	35mm ² x 12mm Copper Lugs
CLUG35X16	35mm ² x 16mm Copper Lugs
50mm² Cable Size	
CLUG50X06	50mm ² x 06mm Copper Lugs
CLUG50X08	50mm ² x 08mm Copper Lugs
CLUG50X10	50mm ² x 10mm Copper Lugs
CLUG50X12	50mm ² x 12mm Copper Lugs
CLUG50X16	50mm ² x 16mm Copper Lugs
CLUG50X20	50mm ² x 20mm Copper Lugs
70mm² Cable Size	
CLUG70X06	70mm ² x 06mm Copper Lugs
CLUG70X08	70mm ² x 08mm Copper Lugs
CLUG70X10	70mm ² x 10mm Copper Lugs
CLUG70X12	70mm ² x 12mm Copper Lugs
CLUG70X16	70mm ² x 16mm Copper Lugs
CLUG70X20	70mm ² x 20mm Copper Lugs
95mm² Cable Size	
CLUG95X06	95mm ² x 06mm Copper Lugs
CLUG95X08	95mm ² x 08mm Copper Lugs
CLUG95X10	95mm ² x 10mm Copper Lugs
CLUG95X12	95mm ² x 12mm Copper Lugs
CLUG95X16	95mm ² x 16mm Copper Lugs
CLUG95X20	95mm ² x 20mm Copper Lugs
120mm² Cable Size	
CLUG120X08	120mm ² x 08mm Copper Lugs
CLUG120X10	120mm ² x 10mm Copper Lugs
CLUG120X12	120mm ² x 12mm Copper Lugs
CLUG120X16	120mm ² x 16mm Copper Lugs
CLUG120X20	120mm ² x 20mm Copper Lugs
150mm² Cable Size	
CLUG150X08	150mm ² x 08mm Copper Lugs
CLUG150X10	150mm ² x 10mm Copper Lugs
CLUG150X12	150mm ² x 12mm Copper Lugs
CLUG150X16	150mm ² x 16mm Copper Lugs
CLUG150X20	150mm ² x 20mm Copper Lugs
185mm² Cable Size	
CLUG185X10	185mm ² x 10mm Copper Lugs
CLUG185X12	185mm ² x 12mm Copper Lugs
CLUG185X16	185mm ² x 16mm Copper Lugs
CLUG185X20	185mm ² x 20mm Copper Lugs

Copper Lugs



Copper Ferrules



Product Code	Product Description
FER 1,5	1.5mm ² Copper Ferrules
FER2,5	2.5mm ² Copper Ferrules
FER4	4mm ² Copper Ferrules
FER6	6mm ² Copper Ferrules
FER10	10mm ² Copper Ferrules
FER16	16mm ² Copper Ferrules
FER25	25mm ² Copper Ferrules
FER35	35mm ² Copper Ferrules
FER50	50mm ² Copper Ferrules
FER70	70mm ² Copper Ferrules
FER95	95mm ² Copper Ferrules
FER120	120mm ² Copper Ferrules
FER150	150mm ² Copper Ferrules
FER185	185mm ² Copper Ferrules
FER240	240mm ² Copper Ferrules
FER300	300mm ² Copper Ferrules
FER400	400mm ² Copper Ferrules

Ring Terminals

Part Code	Product Description	Wire Size (mm)	Stud (mm)	Colour
TERMRR3	Pre-Insulated Ring Terminals	0,75 - 1,5	3,0	Red
TERMRR3.5	Pre-Insulated Ring Terminals	0,75 - 1,5	3,5	Red
TEMRR3.5L	Pre-Insulated Ring Terminals	0,75 - 1,5	3,5	Red
TERMRR4	Pre-Insulated Ring Terminals	0,75 - 1,5	4	Red
TEMRR4L	Pre-Insulated Ring Terminals	0,75 - 1,5	4	Red
TERMRR5	Pre-Insulated Ring Terminals	0,75 - 1,5	5	Red
TERMRR6	Pre-Insulated Ring Terminals	0,75 - 1,5	6	Red
TERMRR8	Pre-Insulated Ring Terminals	0,75 - 1,5	8	Red
TERMRR10	Pre-Insulated Ring Terminals	0,75 - 1,5	10	Red
TERMBR3.5	Pre-Insulated Ring Terminals	2,5	3,5	Blue
TERMBR4	Pre-Insulated Ring Terminals	2,5	4	Blue
TERMBR5	Pre-Insulated Ring Terminals	2,5	5	Blue
TERMBR6	Pre-Insulated Ring Terminals	2,5	6	Blue
TERMBR8	Pre-Insulated Ring Terminals	2,5	8	Blue
TERMBR10	Pre-Insulated Ring Terminals	2,5	10	Blue
TERMBR12	Pre-Insulated Ring Terminals	2,5	12	Blue
TERYR4	Pre-Insulated Ring Terminals	4,0 - 6,0	4	Yellow
TERMYR5	Pre-Insulated Ring Terminals	4,0 - 6,0	5	Yellow
TERMYR6	Pre-Insulated Ring Terminals	4,0 - 6,0	6	Yellow
ERMYR8	Pre-Insulated Ring Terminals	4,0 - 6,0	8	Yellow
TERMYR10	Pre-Insulated Ring Terminals	4,0 - 6,0	10	Yellow
TERMYR12	Pre-Insulated Ring Terminals	4,0 - 6,0	12	Yellow



Product Code	Product Description	Wire Size (mm)	Stud (mm)	Colour
TERMDRR3	Pre-Insulated Ring Terminals - Double Grip	0,75 - 1,5	3	Red
TERMDRR3.5	Pre-Insulated Ring Terminals - Double Grip	0,75 - 1,5	3,5	Red
TERMDRR4	Pre-Insulated Ring Terminals - Double Grip	0,75 - 1,5	4	Red
TERMDRR5	Pre-Insulated Ring Terminals - Double Grip	0,75 - 1,5	5	Red
TERMDRR6	Pre-Insulated Ring Terminals - Double Grip	0,75 - 1,5	6	Red
TERMDRR8	Pre-Insulated Ring Terminals - Double Grip	0,75 - 1,5	8	Red
TERRMDRR10	Pre-Insulated Ring Terminals - Double Grip	0,75 - 1,5	10	Red
TERMDBR3.5	Pre-Insulated Ring Terminals - Double Grip	2,5	3,5	Blue
TERMDBR4	Pre-Insulated Ring Terminals - Double Grip	2,5	4	Blue
TERMDBR5	Pre-Insulated Ring Terminals - Double Grip	2,5	5	Blue
TERMDBR6	Pre-Insulated Ring Terminals - Double Grip	2,5	6	Blue
TERMDBR8	Pre-Insulated Ring Terminals - Double Grip	2,5	8	Blue
TERMDBR10	Pre-Insulated Ring Terminals - Double Grip	2,5	10	Blue
TERMDYR4	Pre-Insulated Ring Terminals - Double Grip	4,0 - 6,0	4	Yellow
TERMDYR5	Pre-Insulated Ring Terminals - Double Grip	4,0 - 6,0	5	Yellow
TERMDYR6	Pre-Insulated Ring Terminals - Double Grip	4,0 - 6,0	6	Yellow
TERMDYR8	Pre-Insulated Ring Terminals - Double Grip	4,0 - 6,0	8	Yellow
TERMDYR10	Pre-Insulated Ring Terminals - Double Grip	4,0 - 6,0	10	Yellow
TERMDYR12	Pre-Insulated Ring Terminals - Double Grip	4,0 - 6,0	12	Yellow

Spade Terminals



Product Code	Product Description	Wire Size (mm)	Stud (mm)	Colour
TERMRS3	Pre-Insulated Spade Terminals	0,75 - 1,5	3	Red
TERMRS3.5	Pre-Insulated Spade Terminals	0,75 - 1,5	3,5	Red
TERMRS4	Pre-Insulated Spade Terminals	0,75 - 1,5	4	Red
TERMRS5	Pre-Insulated Spade Terminals	0,75 - 1,5	5	Red
TERMRS6	Pre-Insulated Spade Terminals	0,75 - 1,5	6	Red
TERMB3.5	Pre-Insulated Spade Terminals	2,5	3,5	Blue
TERMB4	Pre-Insulated Spade Terminals	2,5	4	Blue
TERMB5	Pre-Insulated Spade Terminals	2,5	5	Blue
TERMB6	Pre-Insulated Spade Terminals	2,5	6	Blue
TERMY3.5	Pre-Insulated Spade Terminals	4,0 - 6,0	3,5	Yellow
TERMY4	Pre-Insulated Spade Terminals	4,0 - 6,0	4	Yellow
TERMY5	Pre-Insulated Spade Terminals	4,0 - 6,0	5	Yellow
TERMY6	Pre-Insulated Spade Terminals	4,0 - 6,0	6	Yellow
TERMY8	Pre-Insulated Spade Terminals	4,0 - 6,0	8	Yellow

Quick Splice (Fully Insulated Taps)




Product Code	Product Description		Wire Size (mm)	Colour
TERMQS1R	Fully Insulated Taps (Quick-Splice)	0,5 - 1,0mm Instant Taps (QC1) (9080)	0,5 - 1,0	Red
TERMQS2B	Fully Insulated Taps (Quick-Splice)	1,5 - 2,5mm Instant Taps (QC2) (9080)	1,5 - 2,5	Blue
TERMQS5Y	Fully Insulated Taps (Quick-Splice)	4 - 6mm Instant Taps (QC5) (9080)	1,5 - 2,5	Yellow

Pin Terminals



Product Code	Product Description	Wire Size (mm)	Colour
TERMRP9	Pre-Insulated Pin Terminals	0,75 - 1,5	Red
TERMRP10	Pre-Insulated Pin Terminals	0,75 - 1,5	Red
TERMRP12	Pre-Insulated Pin Terminals	0,75 - 1,5	Red
TERMBP9	Pre-Insulated Pin Terminals	2,5	Blue
TERMBP10	Pre-Insulated Pin Terminals	2,5	Blue
TERMBP12	Pre-Insulated Pin Terminals	2,5	Blue
TERMYP14	Pre-Insulated Pin Terminals	4,0 - 6,0	Yellow

Hook Terminals



Product Code	Product Description		Wire Size (mm)	Stud (mm)	Colour
TERMRHB3	Pre-Insulated Hook Blade Terminals	Hook Blade Terminals 17.8 x 2,3mm	0,75 - 1,5	2,3	Red
TERMRHB	Pre-Insulated Hook Blade Terminals	Hook Blade Terminals 17.8 x 4.6mm	0,75 - 1,5	4,6	Red
TERMBHB3	Pre-Insulated Hook Blade Terminals	Hook Blade Terminals 17.8 x 2.8mm	2,5	2,8	Blue
TERMBHB	Pre-Insulated Hook Blade Terminals	Hook Blade Terminals 17.8 x 4.6mm	2,5	4,6	Blue
TERMYHB3	Pre-Insulated Hook Blade Terminals	Hook Blade Terminals 17.8 x 2.3mm	4,0 - 6,0	2,3	Yellow
TERMYHB	Pre-Insulated Hook Blade Terminals	Hook Blade Terminals 17.8 x 4.6mm	4,0 - 6,0	2,6	Yellow

Blade Terminals



Product Code	Product Description		Wire Size (mm)	Stud (mm)	Colour
TERMRFB9	Pre-Insulated Flat Blade Terminals	Blade Terminals 2,8 x 9.0mm	0,75 - 1,5	2,8	Red
TERMRFB10	Pre-Insulated Flat Blade Terminals	Blade Terminals 2,3 x 10,0mm	0,75 - 1,5	2,3	Red
TERMRFB11	Pre-Insulated Flat Blade Terminals	Blade Terminals 3.0 x 11.0mm	0,75 - 1,5	3,0	Red
TERMRFB14	Pre-Insulated Flat Blade Terminals	Blade Terminals 3.0x 14,0mm	0,75 - 1,5	2,8	Red
TERMRFB18	Pre-Insulated Flat Blade Terminals	Blade Terminals 2,3 x 18,4mm	0,75 - 1,5	2,3	Red
TERMBFB9	Pre-Insulated Flat Blade Terminals	Blade Terminals 2,3 x 10,4mm	2,5	2,3	Blue
TERMBFB13	Pre-Insulated Flat Blade Terminals	Blade Terminals 2.4 x 13.0mm	2,5	2,4	Blue
TERMBFB18	Pre-Insulated Flat Blade Terminals	Blade Terminals 2,3 x 18,4mm	2,5	2,3	Blue
TERMYFB10	Pre-Insulated Flat Blade Terminals	Blade Terminals 2.8 x 9.0mm	4,0 - 6,0	2,8	Yellow
TERMYFB14	Pre-Insulated Flat Blade Terminals	Blade Terminals 4.5 x 14.1mm	4,0 - 6,0	4,5	Yellow

Female Disconnect & Male Disconnect



Product Code	Product Description	Wire Size (mm)	Stud (mm)	Colour
TERMDRDF25	Pre-Insulated Quick Connect (Q.C.) (Disconnect) Terminals - Double Grip Female 2,8mm Disconnect Terminals	0,75 - 1,5	2,8	Red
TERMDBDF25	Pre-Insulated Quick Connect (Q.C.) (Disconnect) Terminals - Double Grip Female 2,8mm Disconnect Terminals	2,5	2,8	Blue
TERMDRDF45	Pre-Insulated Quick Connect (Q.C.) (Disconnect) Terminals - Double Grip Female 4,8mm Disconnect Terminals	0,75 - 1,5	4,8	Red
TERMDBDF45	Pre-Insulated Quick Connect (Q.C.) (Disconnect) Terminals - Double Grip Female 4,8mm Disconnect Terminals	2,5	4,8	Blue
TERMDRDF	Pre-Insulated Quick Connect (Q.C.) (Disconnect) Terminals - Double Grip Female 6,3mm Disconnect Terminals	0,75 - 1,5	6,4	Red
TERMDBDF	Pre-Insulated Quick Connect (Q.C.) (Disconnect) Terminals - Double Grip Female 6,3mm Disconnect Terminals	2,5	6,4	Blue
TERMDYDF	Pre-Insulated Quick Connect (Q.C.) (Disconnect) Terminals - Double Grip Female 6,3mm Disconnect Terminals	4,0 - 6,0	6,4	Yellow
TERMDBDF8	Pre-Insulated Quick Connect (Q.C.) (Disconnect) Terminals - Double Grip Female 8,0mm Disconnect Terminals	2,5	8,0	Blue
TERMDYDF9	Pre-Insulated Quick Connect (Q.C.) (Disconnect) Terminals - Double Grip Female 9,5mm Disconnect Terminals	4,0 - 6,0	9,5	Yellow
TERMDRDF4	Pre-Insulated Quick Connect (Q.C.) (Disconnect) Terminals - Double Grip Fully Insulated Female 4,8mm Disconnect Terminals	0,75 - 1,5	4,8	Red
TERMDBDF4	Pre-Insulated Quick Connect (Q.C.) (Disconnect) Terminals - Double Grip Fully Insulated Female 4,8mm Disconnect Terminals	2,5	4,8	Blue
TERMDRDF6	Pre-Insulated Quick Connect (Q.C.) (Disconnect) Terminals - Double Grip Fully Insulated Female 6,3mm Disconnect Terminals	0,75 - 1,5	6,4	Red
TERMDBDF6	Pre-Insulated Quick Connect (Q.C.) (Disconnect) Terminals - Double Grip Fully Insulated Female 6,3mm Disconnect Terminals	2,5	6,4	Blue
TERMDYDF6	Pre-Insulated Quick Connect (Q.C.) (Disconnect) Terminals - Double Grip Fully Insulated Female 6,3mm Disconnect Terminals	4,0 - 6,0	6,4	Yellow
TERMDRDM2	Pre-Insulated Quick Connect (Q.C.) (Disconnect) Terminals - Double Grip Male 2,8mm Disconnect Terminals	0,75 - 1,5	2,8	Red
TERMDBDM2	Pre-Insulated Quick Connect (Q.C.) (Disconnect) Terminals - Double Grip Male 2,8mm Disconnect Terminals	2,5	2,8	Blue
TERMDRDM4	Pre-Insulated Quick Connect (Q.C.) (Disconnect) Terminals - Double Grip Male 4,8mm Disconnect Terminals	0,75 - 1,5	4,8	Red
TERMDBDM4	Pre-Insulated Quick Connect (Q.C.) (Disconnect) Terminals - Double Grip Male 4,8mm Disconnect Terminals	2,5	4,8	Blue
TERMDRDM6	Pre-Insulated Quick Connect (Q.C.) (Disconnect) Terminals - Double Grip Male 6,3mm Disconnect Terminals	0,75 - 1,5	6,4	Red
TERMDBDM6	Pre-Insulated Quick Connect (Q.C.) (Disconnect) Terminals - Double Grip Male 6,3mm Disconnect Terminals	2,5	6,4	Blue
TERMDYDM6	Pre-Insulated Quick Connect (Q.C.) (Disconnect) Terminals - Double Grip Male 6,3mm Disconnect Terminals	4,0 - 6,0	6,4	Yellow
TERMDRDPB	Pre-Insulated Quick Connect (Q.C.) (Disconnect) Terminals - Double Grip Piggy Back 6,3mm Disconnect Terminals	0,75 - 1,5	6,4	Red
TERMDBPB	Pre-Insulated Quick Connect (Q.C.) (Disconnect) Terminals - Double Grip Piggy Back 6,3mm Disconnect Terminals	2,5	6,4	Blue

Piggy Back Disconnect



Product Code	Product Description		Wire Size (mm)	Stud (mm)	Colour
TERMRPB	Pre-Insulated Quick Connect (Disconnect) Terminals - Single Grip	Piggy Back 6,3mm Disconnect Terminals	0,75 - 1,5	6,4	Red
TERMBPB	Pre-Insulated Quick Connect (Disconnect) Terminals - Single Grip	Piggy Back 6,3mm Disconnect Terminals	2,5	6,4	Blue
TERMYPB,1	Pre-Insulated Quick Connect (Disconnect) Terminals - Single Grip	Piggy Back 6,3mm Disconnect Terminals	4,0 - 6,0	6,4	Yellow

Fully Insulated Female Disconnect



Product Code	Product Description		Wire Size (mm)	Stud (mm)	Colour
TERMRDM	Pre-Insulated Quick Connect (Disconnect) Terminals - Single Grip	Male 6,3mm Disconnect Terminals	0,75 - 1,5	6,4	Red
TERMBDM	Pre-Insulated Quick Connect (Disconnect) Terminals - Single Grip	Male 6,3mm Disconnect Terminals	2,5	6,4	Blue
TERMYDM	Pre-Insulated Quick Connect (Disconnect) Terminals - Single Grip	Male 6,3mm Disconnect Terminals	4,0 - 6,0	6,4	Yellow

Bullet Terminal



Product Code	Product Description		Wire Size (mm)	Stud (mm)	Colour
TERMDRBM4	Pre-Insulated Bullet Terminals - Double Grip	Male Bullet Terminals	0,75 - 1,5	4	Red
TERMDRBF4	Pre-Insulated Bullet Terminals - Double Grip	Female Bullet Terminals	0,75 - 1,5	4	Red
TERMDBBM4	Pre-Insulated Bullet Terminals - Double Grip	Male Bullet Terminals	2,5	4	Blue
TERMDBBF4	Pre-Insulated Bullet Terminals - Double Grip	Female Bullet Terminals	2,5	4	Blue
TERMDBBM5	Pre-Insulated Bullet Terminals - Double Grip	Male Bullet Terminals	2,5	5	Blue
TERMDBBF5	Pre-Insulated Bullet Terminals - Double Grip	Female Bullet Terminals	2,5	5	Blue
TERMDYBM5	Pre-Insulated Bullet Terminals - Double Grip	Male Bullet Terminals	4,0 - 6,0	5	Yellow
TERMDYBF5	Pre-Insulated Bullet Terminals - Double Grip	Female Bullet Terminals	4,0 - 6,0	5	Yellow
Product Code	Product Description		Wire Size (mm)	Stud (mm)	Colour
TERMRBM4	Pre-Insulated Bullet Terminals - Single Grip	Male Bullet Terminals	0,75 - 1,5	4	Red
TERMRBF4	Pre-Insulated Bullet Terminals - Single Grip	Female Bullet Terminals	0,75 - 1,5	4	Red
TERMRBM4	Pre-Insulated Bullet Terminals - Single Grip	Male Bullet Terminals	2,5	4	Blue
TERMRBF4	Pre-Insulated Bullet Terminals - Single Grip	Female Bullet Terminals	2,5	4	Blue
TERMRBM5	Pre-Insulated Bullet Terminals - Single Grip	Male Bullet Terminals	2,5	5	Blue
TERMRBF5	Pre-Insulated Bullet Terminals - Single Grip	Female Bullet Terminals	2,5	5	Blue
TERMYBM5	Pre-Insulated Bullet Terminals - Single Grip	Male Bullet Terminals	4,0 - 6,0	5	Yellow
TERMYBF5	Pre-Insulated Bullet Terminals - Single Grip	Female Bullet Terminals	4,0 - 6,0	5	Yellow

Insulated End-Sleeves



Product Code	Product Description	Length (mm)	I.D. (mm)	Size (mm ²)
TERME034	Insulated End Sleeve Terminals (Boot Lace Ferrules) 0,25 Violet Insulated End Sleeve Terminals	6	0,7	0,25
TERME036	Insulated End Sleeve Terminals (Boot Lace Ferrules) 0,34 Turquoise Insulated End Sleeve Terminals	6	0,8	0,34
TERME02	Insulated End Sleeve Terminals (Boot Lace Ferrules) 0,5 White Insulated End Sleeve Terminals	8	1	0,5
TERME03	Insulated End Sleeve Terminals (Boot Lace Ferrules) 0,5 White Insulated End Sleeve Terminals	10	1	0,5
TERME05	Insulated End Sleeve Terminals (Boot Lace Ferrules) 0,75 Blue Insulated End Sleeve Terminals	8	1,2	0,75
TERME09	Insulated End Sleeve Terminals (Boot Lace Ferrules) 1,0 Red Insulated End Sleeve Terminals	8	1,4	1
TERME10	Insulated End Sleeve Terminals (Boot Lace Ferrules) 1,0 Red Insulated End Sleeve Terminals	10	1,4	1
TERME13	Insulated End Sleeve Terminals (Boot Lace Ferrules) 1,5 Black Insulated End Sleeve Terminals	8	1,7	1,5
TERME14	Insulated End Sleeve Terminals (Boot Lace Ferrules) 1,5 Black Insulated End Sleeve Terminals	10	1,7	1,5
TERME15	Insulated End Sleeve Terminals (Boot Lace Ferrules) 1,5 Black Insulated End Sleeve Terminals	18	1,7	1,5
TERME16	Insulated End Sleeve Terminals (Boot Lace Ferrules) 2,5 Grey Insulated End Sleeve Terminals	8	2,2	2,5
TERME17	Insulated End Sleeve Terminals (Boot Lace Ferrules) 2,5 Grey Insulated End Sleeve Terminals	12	2,2	2,5
TERME18	Insulated End Sleeve Terminals (Boot Lace Ferrules) 2,5 Black Insulated End Sleeve Terminals	18	2,2	2,5
TERME19	Insulated End Sleeve Terminals (Boot Lace Ferrules) 4,0 Orange Insulated End Sleeve Terminals	9	2,8	4
TERME21	Insulated End Sleeve Terminals (Boot Lace Ferrules) 4,0 Orange Insulated End Sleeve Terminals	18	2,8	4
TERME22	Insulated End Sleeve Terminals (Boot Lace Ferrules) 6,0 Green Insulated End Sleeve Terminals	12	3,5	6
TERME24	Insulated End Sleeve Terminals (Boot Lace Ferrules) 10,0 Brown Insulated End Sleeve Terminals	12	4,5	10
TERME26	Insulated End Sleeve Terminals (Boot Lace Ferrules) 16,0 Ivory Insulated End Sleeve Terminals	12	5,8	16
TERME28	Insulated End Sleeve Terminals (Boot Lace Ferrules) 25,0 Ivory Insulated End Sleeve Terminals	16	7,3	25
TERME30	Insulated End Sleeve Terminals (Boot Lace Ferrules) 35,0 Beige Insulated End Sleeve Terminals	16	8,3	35

Product Code	Product Description	Length (mm)	I.D. (mm)	Size (mm ²)
TERME134	Insulated End Sleeve Terminals (Boot Lace Ferrules) 0,25 Blue Insulated End Sleeve Terminals	6	0,7	0,25
TERME020	Insulated End Sleeve Terminals (Boot Lace Ferrules) 0,5 Orange Insulated End Sleeve Terminals	8	1	0,5
TERME050	Insulated End Sleeve Terminals (Boot Lace Ferrules) 0,75 White Insulated End Sleeve Terminals	8	1,2	0,75
TERME090	Insulated End Sleeve Terminals (Boot Lace Ferrules) 1,0 Yellow Insulated End Sleeve Terminals	8	1,4	1
TERME113	Insulated End Sleeve Terminals (Boot Lace Ferrules) 1,5 Red Insulated End Sleeve Terminals	8	1,7	1,5
TERME116	Insulated End Sleeve Terminals (Boot Lace Ferrules) 2,5 Black Insulated End Sleeve Terminals	8	2,2	2,5
TERME119	Insulated End Sleeve Terminals (Boot Lace Ferrules) 4,0 Grey Insulated End Sleeve Terminals	9	2,8	4
TERME122	Insulated End Sleeve Terminals (Boot Lace Ferrules) 6,0 Black Insulated End Sleeve Terminals	12	3,5	6
TERME124	Insulated End Sleeve Terminals (Boot Lace Ferrules) 10,0 Ivory Insulated End Sleeve Terminals	12,0	4,5	10
TERME125	Insulated End Sleeve Terminals (Boot Lace Ferrules) 10,0 Ivory Insulated End Sleeve Terminals	18	4,5	10
TERME126	Insulated End Sleeve Terminals (Boot Lace Ferrules) 16,0 Green Insulated End Sleeve Terminals	12	5,8	16
TERME128	Insulated End Sleeve Terminals (Boot Lace Ferrules) 25,0 Brown Insulated End Sleeve Terminals	16	7,3	25
TERME130	Insulated End Sleeve Terminals (Boot Lace Ferrules) 35,0 Ivory Insulated End Sleeve Terminals	16	8,3	35
TERME132	Insulated End Sleeve Terminals (Boot Lace Ferrules) 50,0 Olive Insulated End Sleeve Terminals	20,0	9,5	50
TERM2E02	Insulated Twin End Sleeve Terminals (Boot Lace Ferrules) 2 x 0,5 White Insulated Twin End Sleeve Terminals	8	1,5	2 x 0.50
TERM2E05	Insulated Twin End Sleeve Terminals (Boot Lace Ferrules) 2 x 0,75 Grey Insulated Twin End Sleeve Terminals	8	1,8	2 x 0.75
TERM2E09	Insulated Twin End Sleeve Terminals (Boot Lace Ferrules) 2 x 1,00 Red Insulated Twin End Sleeve Terminals	8	2,3	2 x 1.00
TERM2E13	Insulated Twin End Sleeve Terminals (Boot Lace Ferrules) 2 x 1,50 Black Insulated Twin End Sleeve Terminals	8	2,6	2 x 1.50
TERM2E16	Insulated Twin End Sleeve Terminals (Boot Lace Ferrules) 2 x 2,50 Blue Insulated Twin End Sleeve Terminals	10	2,9	2 x 2.50
TERM2E19	Insulated Twin End Sleeve Terminals (Boot Lace Ferrules) 2 x 4,00 Grey Insulated Twin End Sleeve Terminals	12	3,8	2 x 4.00
TERM2E22	Insulated Twin End Sleeve Terminals (Boot Lace Ferrules) 2 x 6,00 Yellow Insulated Twin End Sleeve Terminals	14	4,9	2 x 6.00
TERM2E24	Insulated Twin End Sleeve Terminals (Boot Lace Ferrules) 2 x 10,00 Red Insulated Twin End Sleeve Terminals	14	6,5	2 x 10.00
TERM2E26	Insulated Twin End Sleeve Terminals (Boot Lace Ferrules) 2 x 16,00 Blue Insulated Twin End Sleeve Terminals	14	8,3	2 x 16.00



Part Number	Product Description		Measure	
			L x W x H	
CHOC03A-B	TERMINAL BLOCKS (Chocolate)	3A-2,5mm ² 380V 12 Way Terminal (Chocolate) Blocks	94x16x15	Black
CHOC03A-C	TERMINAL BLOCKS (Chocolate)	3A-2,5mm ² 380V 12 Way Terminal (Chocolate) Blocks	94x16x15	Clear
CHOC05A-B	TERMINAL BLOCKS (Chocolate)	5A-4mm ² 380V 12 Way Terminal (Chocolate) Blocks	115x18x15	Black
CHOC05A-CS	TERMINAL BLOCKS (Chocolate)	5A-4mm ² 380V 12 Way Terminal (Chocolate) Blocks	115x18x15	Clear
CHOC10A-B	TERMINAL BLOCKS (Chocolate)	10A-10mm ² 380V 12 Way Terminal (Chocolate) Blocks	125x22x17	Black
CHOC15A-B	TERMINAL BLOCKS (Chocolate)	15A-10/12mm ² 380V 12 Way Terminal (Chocolate) Blocks	132x23x21	Black
CHOC15A-C	TERMINAL BLOCKS (Chocolate)	15A-10/12mm ² 380V 12 Way Terminal (Chocolate) Blocks	132x23x21	Clear
CHOC30A-BR	TERMINAL BLOCKS (Chocolate)	30A-16mm ² 380V 12 Way Terminal (Chocolate) Blocks	152x23x21	Black
CHOC30A-C	TERMINAL BLOCKS (Chocolate)	30A-16mm ² 380V 12 Way Terminal (Chocolate) Blocks	152x23x21	Clear
CHOC60A-B	TERMINAL BLOCKS (Chocolate)	60A-25mm ² 380V 12 Way Terminal(Chocolate) Blocks	200x32x27	Black
CHOC60A-C	TERMINAL BLOCKS (Chocolate)	60A-25mm ² 380V 12 Way Terminal(Chocolate) Blocks	200x32x27	Clear

Conduit



Product Name	Description	Size	Roll Length
POLYPROPYLENE BLACK	10mm Flexible Conduit	10	100
POLYPROPYLENE BLACK	14mm Flexible Conduit	14	100
POLYPROPYLENE BLACK	16mm Flexible Conduit	16	100
POLYPROPYLENE BLACK	20mm Flexible Conduit	20	50
POLYPROPYLENE BLACK	25mm Flexible Conduit	25	50

Woven Sleeving



Product Code	Product Description		Size
PET3	WOVEN SLEEVING	PET Sleeving -40 to +130OC (Peak +220OC)	3
PET4	WOVEN SLEEVING	PET Sleeving -40 to +130OC (Peak +220OC)	4
PET5	WOVEN SLEEVING	PET Sleeving -40 to +130OC (Peak +220OC)	5
PET6	WOVEN SLEEVING	PET Sleeving -40 to +130OC (Peak +220OC)	6
PET8	WOVEN SLEEVING	PET Sleeving -40 to +130OC (Peak +220OC)	8
PET10	WOVEN SLEEVING	PET Sleeving -40 to +130OC (Peak +220OC)	10
PET12	WOVEN SLEEVING	PET Sleeving -40 to +130OC (Peak +220OC)	12
PET14	WOVEN SLEEVING	PET Sleeving -50 to +150OC (Peak +220OC)	14
PET15	WOVEN SLEEVING	PET Sleeving -50 to +150OC (Peak +220OC)	15
PET16	WOVEN SLEEVING	PET Sleeving -50 to +150OC (Peak +220OC)	16
PET20	WOVEN SLEEVING	PET Sleeving -50 to +150OC (Peak +220OC)	20
PET25	WOVEN SLEEVING	PET Sleeving -50 to +150OC (Peak +220OC)	25
PET30	WOVEN SLEEVING	PET Sleeving -50 to +150OC (Peak +220OC)	30
PET35	WOVEN SLEEVING	PET Sleeving -50 to +150OC (Peak +220OC)	35
PET40	WOVEN SLEEVING	PET Sleeving -50 to +150OC (Peak +220OC)	40
PET45	WOVEN SLEEVING	PET Sleeving -50 to +150OC (Peak +220OC)	45
PET50	WOVEN SLEEVING	PET Sleeving -50 to +150OC (Peak +220OC)	50
PET64	WOVEN SLEEVING	PET Sleeving -50 to +150OC (Peak +220OC)	64
PET76	WOVEN SLEEVING	PET Sleeving -50 to +150OC (Peak +220OC)	76



Product Code	Description	Size	Pack Qty (m)
SPR3B	Spiroband - Black LDPE	3	30
SPR6B	Spiroband - Black LDPE	6	30
SPR8B	Spiroband - Black LDPE	8	30
SPR12B	Spiroband - Black LDPE	12	30
SPR19B	Spiroband - Black LDPE	19	30
SPR3N	Spiroband - Natural LDPE	3	50
SPR6BN	Spiroband - Natural LDPE	6	50
SPR8BN	Spiroband - Natural LDPE	8	50
SPR12N	Spiroband - Natural LDPE	12	25
SPR19N	Spiroband - Natural LDPE	19	30



Product Code	Description	Size (mm) Outer w x h	Length (m)
TRU25X25	PVC Trunking Open Slot - Narrow 6mm Slot	25 X 25	2
TRU25X40	PVC Trunking Open Slot - Narrow 6mm Slot	25 x 40	2
TRU25X60	PVC Trunking Open Slot - Narrow 6mm Slot	25 x 60	2
TRU25X80	PVC Trunking Open Slot - Narrow 6mm Slot	25 x 80	2
TRU40X40	PVC Trunking Open Slot - Narrow 6mm Slot	40 x 40	2
TRU40X60	PVC Trunking Open Slot - Narrow 6mm Slot	40 x 60	2
TRU40X80	PVC Trunking Open Slot - Narrow 6mm Slot	40 x 80	2
TRU60X40	PVC Trunking Open Slot - Narrow 6mm Slot	60 x 40	2
TRU60X60	PVC Trunking Open Slot - Narrow 6mm Slot	60 x 60	2
TRU60X80	PVC Trunking Open Slot - Narrow 6mm Slot	60 x 80	2
TRU80X40	PVC Trunking Open Slot - Narrow 6mm Slot	80 x 40	2
TRU80X60	PVC Trunking Open Slot - Narrow 6mm Slot	80 x 60	2
TRU81X60	PVC Trunking Open Slot - Narrow 6mm Slot	81 x 60	2
TRU100X60	PVC Trunking Open Slot - Narrow 6mm Slot	100 x 60	2
TRU100X80	PVC Trunking Open Slot - Narrow 6mm Slot	100 x 80	2

Description	Width (mm)	Length (m)
NSE PVC Trunking Lids	25	2
NSE PVC Trunking Lids	40	2
NSE PVC Trunking Lids	60	2
NSE PVC Trunking Lids	80	2
NSE PVC Trunking Lids	100	2




Ref Number	PH x ID x PT x OD (mm) Panel Hole x Internal Diameter x Panel Thickness x Outside Diameter
TDHV2214	6,4 x 4,8 x 0,8 x 9.6 - Black PVC Grommets
TDHV3108	8,0 x 5,6 x 1.6 x 11.1 - Black PVC Grommets
TDHV3109A	9,5 x 6,4 x 1.6 x 14.3 - Black PVC Grommets
TDHV2156	9,5 x 7,9 x 1.6 x 14.3 - Black PVC Grommets
TDHV2215	12,7 x 7,9 x 1.6 x 19.0 - Black PVC Grommets
TDHV3110	12,7 x 9,5 x 1.6 x 17.5 - Black PVC Grommets
TDHV3556A	14,3 x 11,0 x 3.2 x 19.0 - Black PVC Grommets
TDHV2412	19,0 x 12,0 x 1.6 x 25.4 - Black PVC Grommets
TDHV4512	21,0 X 19,0 x 1,2 x ?? - Black PVC Grommets
TDHV2166C	25,4 x 22,2 x 3.2 x 38.9 - Black PVC Grommets



Cable Ties



Product Code		Product Description	Length(mm)	Width(mm)	
UV100x2,5	Cable Ties	CT UV Stabilised - Nylon 6,6 - 100X2,5- Blck	100	2,5	pck 100
UV200x2,5	Cable Ties	CT UV Stabilised - Nylon 6,6 - 200X2,5 - Blck	200	2,5	pck 100
UV140X3,5	Cable Ties	CT UV Stabilised - Nylon 6,6 - 140X3,5 - Blck	140	3,5	pck 100
UV200X3,5	Cable Ties	CT UV Stabilised - Nylon 6,6 - 200X3,5 - Blck	200	3,5	pck 100
UV200X4,5	Cable Ties	CT UV Stabilised - Nylon 6,6 - 200X4,5 - Blck	200	4,5	pck 100
UV300X4,5	Cable Ties	CT UV Stabilised - Nylon 6,6 - 300X4,5 - Blck	300	4,5	pck 100
UV360X4,5	Cable Ties	CT UV Stabilised - Nylon 6,6 - 360X4,5 - Blck	360	4,5	pck 100
UV280X7,5	Cable Ties	CT UV Stabilised - Nylon 6,6 - 280X7,5 - Blck	280	7,5	pck 100
UV360X7,5	Cable Ties	CT UV Stabilised - Nylon 6,6 - 360X7,5 - Blck	360	7,5	pck 100
UV450X7,5	Cable Ties	CT UV Stabilised - Nylon 6,6 - 450X7,5- Blck	450	7,5	pck 100
UV500X12,5	Cable Ties	CT UV Stabilised - Nylon 6,6 - 500X12,5 - Blck	500	12,5	pck 100
CT100x2,5NT	Cable Ties	CT Nylon 6,6 - 100X2,5- NT	100	2,5	pck 100
CT140X3,5NT	Cable Ties	CT Nylon 6,6 - 140X3,5 - NT	140	3,5	pck 100
CT200X4,5NT	Cable Ties	CT Nylon 6,6 - 200X4,5 - NT	200	4,5	pck 100
CT300X4,5NT	Cable Ties	CT Nylon 6,6 - 300X4,5 - NT	300	4,5	pck 100
CT360X4,5NT	Cable Ties	CT Nylon 6,6 - 360X4,5 - NT	360	4,5	pck 100
CT280X7,5NT	Cable Ties	CT Nylon 6,6 - 280X7,5 - NT	280	7,5	pck 100
CT360X7,5NT	Cable Ties	CT Nylon 6,6 - 360X7,5 - NT	360	7,5	pck 100



Product Cod	Product Description	Length(mm)	Width(mm)	
SCT19X19	Nylon Cable Tie Saddles - Black	19	19	pck 100
SCT27X27	Nylon Cable Tie Saddles - Black	27	27	pck 100

Product Code	Product Description	Length (mm)	Width (mm)	
SCT15X4,6	Un-Coated Stainless Steel Ball-Lock Cable Ties	150	4,6	pck 100
SCT200X4,6	Un-Coated Stainless Steel Ball-Lock Cable Ties	200	4,6	pck 100
SCT350X4,6	Un-Coated Stainless Steel Ball-Lock Cable Ties	350	4,6	pck 100
SCT520X4,6	Un-Coated Stainless Steel Ball-Lock Cable Ties	520	4,6	pck 100
SCT150X8	Un-Coated Stainless Steel Ball-Lock Cable Ties	150	8	pck 100
SCT200X8	Un-Coated Stainless Steel Ball-Lock Cable Ties	200	8	pck 100
SCT250X8	Un-Coated Stainless Steel Ball-Lock Cable Ties	250	8	pck 100
SCT400X8	Un-Coated Stainless Steel Ball-Lock Cable Ties	400	8	pck 100
SCT520X8	Un-Coated Stainless Steel Ball-Lock Cable Ties	520	8	pck 100
SCT440X12	Un-Coated Stainless Steel Ball-Lock Cable Ties	440	12	pck 100



CTGUN12MM	Stainless Steel Cable Tie Gun (up to 12mm width) (GREY)
CTGUN7,9MM	Stainless Steel Cable Tie Gun (ST2MT) (up to 7.9mm width)





Ref Code	Product Description	Size	Mounting Hole	
CCGLAND0016	No 00 A2 Compression Cable Gland - Nickel Plated	00	16	EA
CCGLAND0020	No 00 A2 Compression Cable Gland - Nickel Plated	00	20	EA
CCGLAND0	No 0 A2 Compression Cable Gland - Nickel Plated	0	20	EA
CCGLAND1	No 1 A2 Compression Cable Gland - Nickel Plated	1	20	EA
CCGLAND2	No 2 A2 Compression Cable Gland - Nickel Plated	2	25	EA
CCGLAND3	No 3 A2 Compression Cable Gland - Nickel Plated	3	32	EA
CCGLAND4	No 4 A2 Compression Cable Gland - Nickel Plated	4	40	EA
CCGLAND5	No 5 A2 Compression Cable Gland - Nickel Plated	5	50	EA
CCGLAND6	No 6 A2 Compression Cable Gland - Nickel Plated	6	63	EA
CCGLAND7	No 7 A2 Compression Cable Gland - Nickel Plated	7	75	EA



Product Code	Product Description	Size	Mounting Hole	
BWR0	No 0 BW Dual Rotary Cone Cable Gland - Nickel Plated	0	20	EA
BWR1	No 1 BW Dual Rotary Cone Cable Gland - Nickel Plated	1	20	EA
BWR2	No 2 BW Dual Rotary Cone Cable Gland - Nickel Plated	2	25	EA
BWR3	No 3 BW Dual Rotary Cone Cable Gland - Nickel Plated	3	32	EA
BWR4	No 4 BW Dual Rotary Cone Cable Gland - Nickel Plated	4	40	EA
BWR5	No 5 BW Dual Rotary Cone Cable Gland - Nickel Plated	5	50	EA
BWR6	No 6 BW Dual Rotary Cone Cable Gland - Nickel Plated	6	63	EA
BWR7	No 7 BW Dual Rotary Cone Cable Gland - Nickel Plated	7	75	EA



Product Description	Size
PVC Cable Gland Shroud - Moulded	0
PVC Cable Gland Shroud - Moulded	1
PVC Cable Gland Shroud - Moulded	2
PVC Cable Gland Shroud - Moulded	3
PVC Cable Gland Shroud - Moulded	4
PVC Cable Gland Shroud - Moulded	5
PVC Cable Gland Shroud - Moulded	6
PVC Cable Gland Shroud - Moulded	7

Product Code	Product Description	mm	
PCLIPN1	Standard Cable Clamps - Natural	3,2	PCK 100
PCLIPN2	Standard Cable Clamps - Natural	4,8	PCK 100
PCLIPN3	Standard Cable Clamps - Natural	6,4	PCK 100
PCLIPN4	Standard Cable Clamps - Natural	8	PCK 100
PCLIPN5	Standard Cable Clamps - Natural	9,5	PCK 100
PCLIPN6	Standard Cable Clamps - Natural	11,1	PCK 100
PCLIPN7	Standard Cable Clamps - Natural	12,7	PCK 100
PCLIPN8	Standard Cable Clamps - Natural	14,3	PCK 100
PCLIPN9	Standard Cable Clamps - Natural	15,9	PCK 100
PCLIPN10	Standard Cable Clamps - Natural	14,3	PCK 100
PCLIPN11	Standard Cable Clamps - Natural	17,5	PCK 100
PCLIPN12	Standard Cable Clamps - Natural	19,1	PCK 100
PCLIPN13	Standard Cable Clamps - Natural	20,6	PCK 100
PCLIPN14	Standard Cable Clamps - Natural	22,2	PCK 100
PCLIPN15	Standard Cable Clamps - Natural	25,4	PCK 100
PCLIPN16	Standard Cable Clamps - Natural	28,6	PCK 100
PCLIPN17	Standard Cable Clamps - Natural	30,2	PCK 100
PCLIPN18	Standard Cable Clamps - Natural	31,8	PCK 100
PCLIPN19	Standard Cable Clamps - Natural	34,9	PCK 100
PCLIPN20	Standard Cable Clamps - Natural	38,1	PCK 100



Product Code	Product Description	mm	
PCLIPB1	Standard Cable Clamps - Black	3,2	PCK 100
PCLIPB2	Standard Cable Clamps - Black	4,8	PCK 100
PCLIPB3	Standard Cable Clamps - Black	6,4	PCK 100
PCLIPB4	Standard Cable Clamps - Black	8	PCK 100
PCLIPB5	Standard Cable Clamps - Black	9,5	PCK 100
PCLIPB6	Standard Cable Clamps - Black	11,1	PCK 100
PCLIPB7	Standard Cable Clamps - Black	12,7	PCK 100
PCLIPB8	Standard Cable Clamps - Black	14,3	PCK 100
PCLIPB9	Standard Cable Clamps - Black	15,9	PCK 100
PCLIPB10	Standard Cable Clamps - Black	14,3	PCK 100
PCLIPB11	Standard Cable Clamps - Black	17,5	PCK 100
PCLIPB12	Standard Cable Clamps - Black	19,1	PCK 100
PCLIPB13	Standard Cable Clamps - Black	20,6	PCK 100
PCLIPB14	Standard Cable Clamps - Black	22,2	PCK 100
PCLIPB15	Standard Cable Clamps - Black	25,4	PCK 100
PCLIPB16	Standard Cable Clamps - Black	28,6	PCK 100
PCLIPB17	Standard Cable Clamps - Black	30,2	PCK 100
PCLIPB18	Standard Cable Clamps - Black	31,8	PCK 100
PCLIPB19	Standard Cable Clamps - Black	34,9	PCK 100
PCLIPB20	Standard Cable Clamps - Black	38,1	PCK 100

KITS

TERMKIT750-1	Pre-Insulated - Large. 750 Piece Terminal Kit - 18 Compartment Plastic Box	
Contents	Description	Qty
TERMRR6	Red Ring 6mm Terminals	50
TERMBR4	Blue Ring 4mm Terminals	50
TERMBR5	Blue Ring 5mm Terminals	50
TERMBR6	Blue Ring 6mm Terminals	50
TERMBR8	Blue Ring 8mm Terminals	50
TERMYR4	Yellow Ring 4mm Terminals	50
TERMYR5	Yellow Ring 5mm Terminals	25
TERMYR6	Yellow Ring 6mm Terminals	25
TERMYR8	Yellow Ring 8mm Terminals	25
TERMYR10	Yellow Ring 10mm Terminals	25
TERMRBT	Red Butt Terminals	25
TERMBBT	Blue Butt Terminals	25
TERMYBT	Yellow Butt Terminals	25
TERMRDF	Red Disconnect Female 6.3mm T	25
TERMRDM	Red Disconnect Male 6.3mm Ter	25
TERMRDFD	Red Disconnect Female 6.3mm T	25
TERMBDF	Blue Disconnect Female 6.3mm T	25
TERMBDM	Blue Disconnect Male 6.3mm Te	25
TERMBDFD	Blue Disconnect Female 6.3mm T	25
TERMYDF	Yellow Disconnect Female 6.3mr	25
TERMYDM	Yellow Disconnect Male 6.3mm T	25
TERMBBM4	Blue Bullet Male 4mm Terminals	25
TERMBBF4	Blue Bullet Female 4mm Termina	25
TERMQS1R	Red Instant Taps	15
TERMQS2B	Blue Instant Taps	10

TERMKIT750-2 Pre-Insulated Electrical - Large. 750 Piece Terminal Kit. 18 Compartment Plastic Box		
Contents	Description	Qty
TERMRR6	Red Ring 6mm Terminals	50
TERMBR4	Blue Ring 4mm Terminals	50
TERMBR5	Blue Ring 5mm Terminals	50
TERMBR6	Blue Ring 6mm Terminals	50
TERMBR8	Blue Ring 8mm Terminals	50
TERMYR4	Yellow Ring 4mm Terminals	50
TERMYR5	Yellow Ring 5mm Terminals	25
TERMYR6	Yellow Ring 6mm Terminals	25
TERMYR8	Yellow Ring 8mm Terminals	25
TERMYR10	Yellow Ring 10mm Terminals	25
TERMRBT	Red Butt Terminals	50
TERMBBT	Blue Butt Terminals	25
TERMYBT	Yellow Butt Terminals	25
TERMRS3	Red Spade 3mm Terminals	50
TERMRS4	Red Spade 4mm Terminals	50
TERMB54	Blue Spade 4mm Terminals	50
TERMB55	Blue Spade 5mm Terminals	50
TERMY55	Yellow Spade 5mm Terminals	25
TERMY56	Yellow Spade 6mm Terminals	25

TERMKIT150-1 Pre-Insulated Electrical - Small. 150 Piece Terminal Kit - 18 Compartment Plastic Box		
Contents	Description	Qty
TERMDBDM	Blue Disconnect Male 6.3mm Terminals Double Grip	10
TERMDRDF	Red Disconnect Female 6.3mm Terminals Double Grip	10
TERMRS4	Red Spade 4mm Terminals	10
TERMBR5	Blue Ring 5mm Terminals	5
TERMRR5	Red Ring 5mm Terminals	5
TERMYBT	Yellow Butt Terminals	5
TERMDRDM	Red Disconnect Male 6.3mm Terminals Double Grip	10
TERMYR5	Yellow Ring 5mm Terminals	5
TERMRS5	Red Spade 5mm Terminals	5
TERMBR4	Blue Ring 4mm Terminals	10
TERMRR4	Red Ring 4mm Terminals	10
TERMBBT	Blue Butt Terminals	10
TERMDBDF	Blue Disconnect Female 6.3mm Terminals Double Grip	10
TERMB55	Blue Spade 5mm Terminals	5
TERMB54	Blue Spade 4mm Terminals	10
TERMBR3.5	Blue Ring 3.5mm Terminals	10
TERMRR3.5	Red Ring 3.5mm Terminals	10
TERMRBT	Red Butt Terminals	10

TERMKIT-1000	Insulated End Sleeve Kit. 1000 Piece Terminal Kit - 18 Compartment Plastic Box	
Contents	Description	Qty
TERME134	0.25mm Terminals2 Blue End Sleeves	100
TERME020	0.50mm Terminals2 Orange End Sleeves	100
TERME050	0.75mm Terminals2 White End Sleeves	100
TERME090	1.0mm Terminals2 Yellow End Sleeves	100
TERME113	1.5mm Terminals2 Red End Sleeves	100
TERME116	2.5mm Terminals2 Black End Sleeves	100
TERME119	4mm Terminals2 Grey End Sleeves	50
TERME122	6mm Terminals2 Black End Sleeves	30
TERME124	10mm Terminals2 Ivory End Sleeves	15
TERME126	16mm Terminals2 Green End Sleeves	10
TERME128	25mm Terminals2 Brown End Sleeves	8
TERME130	35mm Terminals2 Ivory End Sleeves	5
TERME132	50mm Terminals2 Olive End Sleeves	2
TERM2E02	2 x 0.5mm Terminals2 WhiteTwin End Sleeves	75
TERM2E05	2 x 0.75mm Terminals2 Grey Twin End Sleeves	75
TERM2E09	2 x 1.0mm Terminals2 Red Twin End Sleeves	50
TERM2E13	2 x 1.5mm Terminals2 Black Twin End Sleeves	50
TERM2E16	2 x 2.5mm Terminals2 Blue Twin End Sleeves	30

ELECTERMKIT1976	Pre-Insulated Terminal Kit with Crimping Tool 1976 Piece Kit - 24 Compartment STEEL Box	
Contents	Description	Qty
TERMRR5	Red Ring 5mm Terminals	100
TERMRR6	Red Ring 6mm Terminals	100
TERMBR4	Blue Ring 4mm Terminals	100
TERMBR6	Blue Ring 6mm Terminals	50
TERMYR4	Yellow Ring 4mm Terminals	50
TERMYR6	Yellow Ring 6mm Terminals	50
TERMYR8	Yellow Ring 8mm Terminals	25
TERMRS4	Red Spade 4mm Terminals	100
TERMBSS	Blue Spade 5mm Terminals	100
TERMRDF45	Red Disconnect Female Terminals 4.8mm Terminals	100
TERMRBT	Red Butt Terminals	100
TERMBBT	Blue Butt Terminals	100
TERMYBT	Yellow Butt Terminals	50
TERMRDF	Red Disconnect Female 6.3mm Terminals	100
TERMRDM	Red Disconnect Male 6.3mm Terminals	100
TERMRDFD	Red Disconnect Female 6.3mm Terminals Fully Ins.	100
TERMBDF	Blue Disconnect Female 6.3mm Terminals	100
TERMBDM	Blue Disconnect Male 6.3mm Terminals	100
TERMYDF	Yellow Disconnect Female 6.3mm Terminals	100
TERMYDM	Yellow Disconnect Male 6.3mm Terminals	100
TERMBBM4	Blue Bullet Male 4mm Terminals	100
TERMBBF4	Blue Bullet Female Terminals 4mm Terminals	100
TERMRBIT	Red Instant Taps	25
TERMBBIT	Blue Instant Taps	25
TERMYT1	Pre-Insulated Crimping Tool	1

Fuse Kits - Auto blade fuse
Mini blade fuse
Maxi blade fuse



Rags – 5KG



Safety Gear

